



Bearing No.	Dimensions in inches					Capacities (lbs) <sup>1</sup>					Approx. weight (lbs)
	Bore	Outside dia.	Land dia.	Land dia.	C'Bore dia.	Dynamic			Static		
		L1	L2	L3	Radial	ISO radial	Thrust	Radial	Thrust		
KAA10AG0	1	1.375	1.14	1.235	1.274	194	590	450	340	970	0.025
KAA15AG0	1.5	1.875	1.64	1.735	1.774	238	681	560	480	1,380	0.038
KAA17AG0	1.75	2.125	1.89	1.985	2.024	251	697	600	530	1,520	0.045
KAA10CL0	1	1.375	1.14	1.235	–	188	558	–	290	–	0.026
KAA15CL0	1.5	1.875	1.64	1.735	–	225	632	–	400	–	0.039
KAA17CL0	1.75	2.125	1.89	1.985	–	242	663	–	460	–	0.045
KAA10XL0	1	1.375	1.14	1.235	247	370	110	290	730	170	0.026
KAA15XL0	1.5	1.875	1.64	1.735	296	460	187	400	1,000	340	0.039
KAA17XL0	1.75	2.125	1.89	1.985	319	500	232	460	1,140	440	0.045
KA020AR0	2	2.5	2.186	2.314	2.369	405	1,065	960	790	2,280	0.1
KA025AR0	2.5	3	2.686	2.814	2.869	459	1,150	1,100	960	2,780	0.12
KA030AR0	3	3.5	3.186	3.314	3.367	507	1,225	1,230	1,140	3,290	0.14
KA035AR0	3.5	4	3.686	3.814	3.867	552	1,292	1,350	1,310	3,790	0.17
KA040AR0	4	4.5	4.186	4.314	4.367	595	1,353	1,470	1,490	4,300	0.19
KA042AR0	4.25	4.75	4.436	4.564	4.615	616	1,382	1,530	1,580	4,550	0.2
KA045AR0	4.5	5	4.686	4.814	4.865	637	1,410	1,580	1,660	4,810	0.21
KA047AR0	4.75	5.25	4.936	5.064	5.115	657	1,437	1,640	1,750	5,060	0.22

KA050AR0	5	5.5	5.186	5.314	5.365	676	1,463	1,690	1,840	5,310	0.23
KA055AR0	5.5	6	5.686	5.814	5.863	715	1,513	1,800	2,020	5,820	0.25
KA060AR0	6	6.5	6.186	6.314	6.363	752	1,561	1,900	2,190	6,320	0.28
KA065AR0	6.5	7	6.686	6.814	6.861	788	1,605	2,000	2,370	6,830	0.3
KA070AR0	7	7.5	7.186	7.314	7.361	823	1,648	2,100	2,540	7,340	0.32
KA075AR0	7.5	8	7.686	7.814	7.861	857	1,689	2,190	2,720	7,840	0.34
KA080AR0	8	8.5	8.186	8.314	8.359	890	1,728	2,280	2,890	8,350	0.36
KA090AR0	9	9.5	9.186	9.314	9.357	954	1,802	2,470	3,240	9,360	0.41
KA100AR0	10	10.5	10.186	10.314	10.355	1,014	1,871	2,640	3,590	10,370	0.45
KA110AR0	11	11.5	11.186	11.314	11.353	1,072	1,936	2,810	3,940	11,380	0.5
KA120AR0	12	12.5	12.186	12.314	12.349	1,128	1,998	2,970	4,290	12,390	0.54
KA020CP0	2	2.5	2.186	2.314	-	393	1,012	-	680	-	0.1
KA025CP0	2.5	3	2.686	2.814	-	442	1,094	-	830	-	0.13
KA030CP0	3	3.5	3.186	3.314	-	487	1,166	-	990	-	0.15
KA035CP0	3.5	4	3.686	3.814	-	530	1,230	-	1,140	-	0.18
KA040CP0	4	4.5	4.186	4.314	-	571	1,289	-	1,290	-	0.19
KA042CP0	4.25	4.75	4.436	4.564	-	591	1,317	-	1,370	-	0.2
KA045CP0	4.5	5	4.686	4.814	-	610	1,344	-	1,440	-	0.22
KA047CP0	4.75	5.25	4.936	5.064	-	629	1,369	-	1,520	-	0.23
KA050CP0	5	5.5	5.186	5.314	-	648	1,394	-	1,590	-	0.24
KA055CP0	5.5	6	5.686	5.814	-	685	1,442	-	1,750	-	0.25
KA060CP0	6	6.5	6.186	6.314	-	720	1,487	-	1,900	-	0.28
KA065CP0	6.5	7	6.686	6.814	-	754	1,530	-	2,050	-	0.3
KA070CP0	7	7.5	7.186	7.314	-	787	1,571	-	2,200	-	0.31
KA075CP0	7.5	8	7.686	7.814	-	820	1,610	-	2,350	-	0.34
KA080CP0	8	8.5	8.186	8.314	-	851	1,647	-	2,500	-	0.38
KA090CP0	9	9.5	9.186	9.314	-	912	1,718	-	2,810	-	0.44
KA100CP0	10	10.5	10.186	10.314	-	969	1,784	-	3,110	-	0.5
KA110CP0	11	11.5	11.186	11.314	-	1,025	1,846	-	3,410	-	0.52
KA120CP0	12	12.5	12.186	12.314	-	1,078	1,904	-	3,720	-	0.56
KA020XP0	2	2.5	2.186	2.314	514	790	434	680	1,710	770	0.1
KA025XP0	2.5	3	2.686	2.814	583	910	601	830	2,090	1,150	0.13
KA027XP0	2.75	3.25	2.936	3.064	614	960	690	910	2,275	1,365	0.14
KA030XP0	3	3.5	3.186	3.314	643	1,010	785	990	2,470	1,600	0.15
KA035XP0	3.5	4	3.686	3.814	701	1,110	986	1,140	2,850	2,130	0.18
KA040XP0	4	4.5	4.186	4.314	756	1,210	1,205	1,290	3,220	2,740	0.19
KA042XP0	4.25	4.75	4.436	4.564	783	1,260	1,321	1,370	3,410	3,070	0.2
KA045XP0	4.5	5	4.686	4.814	809	1,310	1,441	1,440	3,600	3,420	0.22
KA047XP0	4.75	5.25	4.936	5.064	834	1,350	1,565	1,520	3,790	3,790	0.23
KA050XP0	5	5.5	5.186	5.314	859	1,400	1,693	1,590	3,980	4,180	0.24
KA055XP0	5.5	6	5.686	5.814	908	1,480	1,959	1,750	4,360	5,020	0.25
KA060XP0	6	6.5	6.186	6.314	955	1,570	2,240	1,900	4,740	5,930	0.28
KA065XP0	6.5	7	6.686	6.814	1,001	1,650	2,535	2,050	5,120	6,910	0.3
KA070XP0	7	7.5	7.186	7.314	1,046	1,730	2,844	2,200	5,500	7,980	0.31

KA075XP0	7.5	8	7.686	7.814	1,089	1,810	3,165	2,350	5,880	9,120	0.34
KA080XP0	8	8.5	8.186	8.314	1,131	1,890	3,499	2,500	6,260	10,330	0.38
KA090XP0	9	9.5	9.186	9.314	1,212	2,040	4,204	2,810	7,020	12,990	0.44
KA100XP0	10	10.5	10.186	10.314	1,289	2,180	4,956	3,110	7,780	15,940	0.5
KA110XP0	11	11.5	11.186	11.314	1,362	2,320	5,750	3,410	8,540	19,210	0.52
KA120XP0	12	12.5	12.186	12.314	1,433	2,450	6,587	3,720	9,300	22,770	0.56
KB020AR0	2	2.625	2.231	2.393	2,464	601	1,520	1,380	1,090	3,150	0.15
KB025AR0	2.5	3.125	2.731	2.893	2,964	675	1,650	1,590	1,340	3,860	0.19
KB030AR0	3	3.625	3.231	3.393	3,462	734	1,737	1,750	1,550	4,470	0.22
KB035AR0	3.5	4.125	3.731	3.893	3,962	801	1,840	1,930	1,790	5,180	0.27
KB040AR0	4	4.625	4.231	4.393	4,46	865	1,934	2,100	2,040	5,890	0.3
KB042AR0	4.25	4.875	4.481	4.643	4,71	891	1,967	2,170	2,150	6,200	0.31
KB045AR0	4.5	5.125	4.731	4.893	4,96	917	2,000	2,240	2,250	6,500	0.34
KB047AR0	4.75	5.375	4.981	5.143	5,21	951	2,051	2,340	2,390	6,910	0.35
KB050AR0	5	5.625	5.231	5.393	5,46	976	2,081	2,410	2,500	7,210	0.37
KB055AR0	5.5	6.125	5.731	5.893	5,958	1,033	2,158	2,560	2,740	7,920	0.4
KB060AR0	6	6.625	6.231	6.393	6,458	1,088	2,230	2,710	2,990	8,630	0.44
KB065AR0	6.5	7.125	6.731	6.893	6,958	1,132	2,281	2,840	3,200	9,240	0.47
KB070AR0	7	7.625	7.231	7.393	7,456	1,184	2,347	2,980	3,450	9,960	0.5
KB075AR0	7.5	8.125	7.731	7.893	7,955	1,235	2,409	3,120	3,700	10,670	0.54
KB080AR0	8	8.625	8.231	8.393	8,453	1,284	2,469	3,260	3,940	11,380	0.57
KB090AR0	9	9.625	9.231	9.393	9,451	1,370	2,568	3,510	4,400	12,700	0.64
KB100AR0	10	10.625	10.231	10.393	10,449	1,461	2,673	3,760	4,890	14,120	0.71
KB110AR0	11	11.625	11.231	11.393	11,447	1,540	2,760	4,000	5,350	15,440	0.78
KB120AR0	12	12.625	12.231	12.393	12,445	1,623	2,853	4,240	5,840	16,860	0.85
KB140AR0	14	14.625	14.231	14.393	14,439	1,767	3,005	4,670	6,760	19,500	0.98
KB160AR0	16	16.625	16.231	16.393	16,433	1,907	3,154	5,100	7,710	22,250	1.12
KB180AR0	18	18.625	18.231	18.393	18,425	2,038	3,292	5,510	8,660	24,990	1.26
KB200AR0	20	20.625	20.231	20.393	20,416	2,162	3,421	5,900	9,610	27,730	1.4
KB020CP0	2	2.625	2.231	2.393	-	577	1,431	-	930	-	0.16
KB025CP0	2.5	3.125	2.731	2.893	-	644	1,549	-	1,140	-	0.2
KB030CP0	3	3.625	3.231	3.393	-	707	1,651	-	1,340	-	0.24
KB035CP0	3.5	4.125	3.731	3.893	-	767	1,743	-	1,540	-	0.27
KB040CP0	4	4.625	4.231	4.393	-	825	1,827	-	1,750	-	0.3
KB042CP0	4.25	4.875	4.481	4.643	-	846	1,853	-	1,830	-	0.31
KB045CP0	4.5	5.125	4.731	4.893	-	880	1,904	-	1,950	-	0.33
KB047CP0	4.75	5.375	4.981	5.143	-	901	1,928	-	2,030	-	0.34
KB050CP0	5	5.625	5.231	5.393	-	933	1,976	-	2,150	-	0.38
KB055CP0	5.5	6.125	5.731	5.893	-	984	2,044	-	2,360	-	0.41
KB060CP0	6	6.625	6.231	6.393	-	1,034	2,108	-	2,560	-	0.44
KB065CP0	6.5	7.125	6.731	6.893	-	1,082	2,168	-	2,760	-	0.47
KB070CP0	7	7.625	7.231	7.393	-	1,129	2,226	-	2,970	-	0.5
KB075CP0	7.5	8.125	7.731	7.893	-	1,175	2,281	-	3,170	-	0.53
KB080CP0	8	8.625	8.231	8.393	-	1,219	2,334	-	3,370	-	0.57

KB090CP0	9	9.625	9.231	9.393	–	1,304	2,434	–	3,780	–	0.66
KB100CP0	10	10.625	10.231	10.393	–	1,386	2,527	–	4,190	–	0.73
KB110CP0	11	11.625	11.231	11.393	–	1,464	2,615	–	4,590	–	0.75
KB120CP0	12	12.625	12.231	12.393	–	1,539	2,698	–	5,000	–	0.83
KB140CP0	14	14.625	14.231	14.393	–	1,680	2,851	–	5,810	–	1.05
KB160CP0	16	16.625	16.231	16.393	–	1,812	2,991	–	6,620	–	1.2
KB180CP0	18	18.625	18.231	18.393	–	1,936	3,121	–	7,440	–	1.35
KB200CP0	20	20.625	20.231	20.393	–	2,053	3,242	–	8,250	–	1.5
KB020XP0	2	2.625	2.231	2.393	758	1,130	658	930	2,340	1,080	0.16
KB025XP0	2.5	3.125	2.731	2.893	848	1,290	895	1,140	2,840	1,600	0.19
KB030XP0	3	3.625	3.231	3.393	933	1,440	1,159	1,340	3,350	2,220	0.24
KB035XP0	3.5	4.125	3.731	3.893	1,014	1,590	1,450	1,540	3,860	2,940	0.27
KB040XP0	4	4.625	4.231	4.393	1,091	1,720	1,764	1,750	4,370	3,770	0.3
KB042XP0	4.25	4.875	4.481	4.643	1,120	1,780	1,917	1,830	4,570	4,170	0.31
KB045XP0	4.5	5.125	4.731	4.893	1,165	1,850	2,103	1,950	4,880	4,690	0.33
KB047XP0	4.75	5.375	4.981	5.143	1,193	1,900	2,265	2,030	5,080	5,140	0.34
KB050XP0	5	5.625	5.231	5.393	1,236	1,980	2,463	2,150	5,380	5,720	0.38
KB055XP0	5.5	6.125	5.731	5.893	1,304	2,100	2,844	2,360	5,890	6,850	0.41
KB060XP0	6	6.625	6.231	6.393	1,371	2,220	3,247	2,560	6,400	8,080	0.44
KB065XP0	6.5	7.125	6.731	6.893	1,435	2,340	3,668	2,760	6,910	9,410	0.47
KB070XP0	7	7.625	7.231	7.393	1,498	2,450	4,109	2,970	7,420	10,850	0.5
KB075XP0	7.5	8.125	7.731	7.893	1,559	2,560	4,568	3,170	7,920	12,380	0.53
KB080XP0	8	8.625	8.231	8.393	1,618	2,670	5,045	3,370	8,430	14,020	0.57
KB090XP0	9	9.625	9.231	9.393	1,732	2,880	6,050	3,780	9,450	17,600	0.66
KB100XP0	10	10.625	10.231	10.393	1,841	3,080	7,121	4,190	10,460	21,580	0.73
KB110XP0	11	11.625	11.231	11.393	1,945	3,280	8,254	4,590	11,480	25,970	0.75
KB120XP0	12	12.625	12.231	12.393	2,045	3,470	9,446	5,000	12,500	30,770	0.83
KB140XP0	14	14.625	14.231	14.393	2,234	3,840	11,994	5,810	14,530	41,580	1.05
KB160XP0	16	16.625	16.231	16.393	2,410	4,190	14,750	6,620	16,560	54,020	1.2
KB180XP0	18	18.625	18.231	18.393	2,576	4,520	17,694	7,440	18,590	68,090	1.35
KB200XP0	20	20.625	20.231	20.393	2,731	4,850	20,813	8,250	20,620	83,780	1.5
KC040AR0	4	4.75	4.277	4.473	4,554	1,153	2,520	2,770	2,550	7,360	0.44
KC042AR0	4.25	5	4.527	4.723	4,804	1,194	2,580	2,880	2,710	7,820	0.46
KC045AR0	4.5	5.25	4.777	4.973	5,052	1,234	2,637	2,990	2,860	8,270	0.49
KC047AR0	4.75	5.5	5.027	5.223	5,302	1,274	2,693	3,100	3,020	8,720	0.51
KC050AR0	5	5.75	5.277	5.473	5,552	1,313	2,746	3,200	3,180	9,170	0.54
KC055AR0	5.5	6.25	5.777	5.973	6,052	1,374	2,820	3,370	3,440	9,920	0.58
KC060AR0	6	6.75	6.277	6.473	6,55	1,448	2,917	3,580	3,750	10,820	0.64
KC065AR0	6.5	7.25	6.777	6.973	7,05	1,519	3,009	3,770	4,060	11,720	0.68
KC070AR0	7	7.75	7.277	7.473	7,55	1,575	3,071	3,930	4,320	12,470	0.74
KC075AR0	7.5	8.25	7.777	7.973	8,048	1,642	3,156	4,120	4,630	13,380	0.78
KC080AR0	8	8.75	8.277	8.473	8,548	1,708	3,236	4,300	4,950	14,280	0.84
KC090AR0	9	9.75	9.277	9.473	9,546	1,822	3,366	4,630	5,520	15,930	0.98
KC100AR0	10	10.75	10.277	10.473	10,544	1,942	3,508	4,970	6,140	17,730	1.04

KC110AR0	11	11.75	11.277	11.473	11.542	2,047	3,621	5,280	6,720	19,390	1.14
KC120AR0	12	12.75	12.277	12.473	12.54	2,147	3,729	5,570	7,290	21,040	1.23
KC140AR0	14	14.75	14.277	14.473	14.535	2,347	3,946	6,170	8,490	24,500	1.43
KC160AR0	16	16.75	16.277	16.473	16.529	2,533	4,144	6,730	9,680	27,950	1.63
KC180AR0	18	18.75	18.277	18.473	18.523	2,707	4,326	7,280	10,880	31,410	1.83
KC200AR0	20	20.75	20.277	20.473	20.517	2,863	4,484	7,780	12,030	34,720	2.03
KC250ARO	25	25.75	25.277	25.473	25.5	3,233	4,863	9,010	14,900	43,280	2.52
KC300AR0	30	30.75	30.277	30.473	30.484	3,561	5,196	10,160	17,960	51,850	3.02
KC040CP0	4	4.75	4.277	4.473	-	1,073	2,321	-	2,100	-	0.45
KC042CP0	4.25	5	4.527	4.723	-	1,108	2,370	-	2,220	-	0.47
KC045CP0	4.5	5.25	4.777	4.973	-	1,143	2,418	-	2,340	-	0.48
KC047CP0	4.75	5.5	5.027	5.223	-	1,176	2,464	-	2,460	-	0.5
KC050CP0	5	5.75	5.277	5.473	-	1,209	2,509	-	2,590	-	0.58
KC055CP0	5.5	6.25	5.777	5.973	-	1,274	2,594	-	2,830	-	0.59
KC060CP0	6	6.75	6.277	6.473	-	1,337	2,674	-	3,070	-	0.63
KC065CP0	6.5	7.25	6.777	6.973	-	1,397	2,751	-	3,310	-	0.68
KC070CP0	7	7.75	7.277	7.473	-	1,457	2,823	-	3,550	-	0.73
KC075CP0	7.5	8.25	7.777	7.973	-	1,514	2,893	-	3,790	-	0.78
KC080CP0	8	8.75	8.277	8.473	-	1,570	2,960	-	4,030	-	0.84
KC090CP0	9	9.75	9.277	9.473	-	1,678	3,085	-	4,510	-	0.94
KC100CP0	10	10.75	10.277	10.473	-	1,781	3,203	-	4,990	-	1.06
KC110CP0	11	11.75	11.277	11.473	-	1,879	3,313	-	5,470	-	1.16
KC120CP0	12	12.75	12.277	12.473	-	1,974	3,417	-	5,950	-	1.25
KC140CP0	14	14.75	14.277	14.473	-	2,154	3,611	-	6,910	-	1.52
KC160CP0	16	16.75	16.277	16.473	-	2,321	3,787	-	7,880	-	1.73
KC180CP0	18	18.75	18.277	18.473	-	2,478	3,951	-	8,840	-	1.94
KC200CP0	20	20.75	20.277	20.473	-	2,626	4,104	-	9,800	-	2.16
KC250CP0	25	25.75	25.277	25.473	-	2,962	4,447	-	12,200	-	2.69
KC300CP0	30	30.75	30.277	30.473	-	3,260	4,750	-	14,610	-	3.21
KD040AR0	4	5	4.37	4.63	4.741	1,819	3,708	4,260	3,550	10,260	0.8
KD042AR0	4.25	5.25	4.62	4.88	4.991	1,876	3,786	4,420	3,750	10,830	0.84
KD045AR0	4.5	5.5	4.87	5.13	5.241	1,931	3,861	4,570	3,950	11,400	0.88
KD047AR0	4.75	5.75	5.12	5.38	5.49	1,986	3,934	4,720	4,150	11,970	0.93
KD050AR0	5	6	5.37	5.63	5.74	2,040	4,004	4,870	4,340	12,540	0.98
KD055AR0	5.5	6.5	5.87	6.13	6.238	2,145	4,138	5,160	4,740	13,680	1.06
KD060AR0	6	7	6.37	6.63	6.738	2,247	4,264	5,440	5,130	14,820	1.15
KD065AR0	6.5	7.5	6.87	7.13	7.236	2,346	4,384	5,720	5,530	15,960	1.24
KD070AR0	7	8	7.37	7.63	7.736	2,442	4,499	5,990	5,920	17,100	1.33
KD075AR0	7.5	8.5	7.87	8.13	8.236	2,536	4,608	6,250	6,320	18,240	1.42
KD080AR0	8	9	8.37	8.63	8.734	2,627	4,713	6,510	6,710	19,380	1.52
KD090AR0	9	10	9.37	9.63	9.732	2,803	4,911	7,010	7,500	21,660	1.69
KD100AR0	10	11	10.37	10.63	10.732	2,972	5,096	7,500	8,290	23,940	1.87
KD110AR0	11	12	11.37	11.63	11.73	3,133	5,270	7,960	9,080	26,220	2.05
KD120AR0	12	13	12.37	12.63	12.728	3,288	5,434	8,420	9,870	28,500	2.23

KD140AR0	14	15	14.37	14.63	14.724	3,582	5,739	9,290	11,450	33,060	2.57
KD160AR0	16	17	16.37	16.63	16.718	3,856	6,018	10,130	13,030	37,620	2.93
KD180AR0	18	19	18.37	18.63	18.712	4,113	6,276	10,930	14,610	42,180	3.29
KD200AR0	20	21	20.37	20.63	20.705	4,356	6,517	11,710	16,190	46,740	3.65
KD210AR0	21	22	21.37	21.63	21.7	4,472	6,632	12,086	16,981	49,020	3.83
KD250AR0	25	26	25.37	25.63	25.688	4,908	7,060	13,540	20,140	58,140	4.54
KD300AR0	30	31	30.37	30.63	30.672	5,397	7,538	15,260	24,090	69,540	5.44
KD040CP0	4	5	4.37	4.63	–	1,755	3,523	–	3,080	–	0.78
KD042CP0	4.25	5.25	4.62	4.88	–	1,787	3,556	–	3,190	–	0.83
KD045CP0	4.5	5.5	4.87	5.13	–	1,861	3,671	–	3,420	–	0.88
KD047CP0	4.75	5.75	5.12	5.38	–	1,892	3,701	–	3,530	–	0.94
KD050CP0	5	6	5.37	5.63	–	1,964	3,808	–	3,760	–	1
KD055CP0	5.5	6.5	5.87	6.13	–	2,063	3,937	–	4,100	–	1.06
KD060CP0	6	7	6.37	6.63	–	2,160	4,059	–	4,450	–	1.16
KD065CP0	6.5	7.5	6.87	7.13	–	2,254	4,174	–	4,790	–	1.22
KD070CP0	7	8	7.37	7.63	–	2,345	4,284	–	5,130	–	1.31
KD075CP0	7.5	8.5	7.87	8.13	–	2,434	4,388	–	5,470	–	1.41
KD080CP0	8	9	8.37	8.63	–	2,520	4,489	–	5,810	–	1.53
KD090CP0	9	10	9.37	9.63	–	2,688	4,678	–	6,500	–	1.72
KD100CP0	10	11	10.37	10.63	–	2,847	4,855	–	7,180	–	1.88
KD110CP0	11	12	11.37	11.63	–	3,000	5,021	–	7,870	–	2.06
KD120CP0	12	13	12.37	12.63	–	3,148	5,178	–	8,550	–	2.25
KD140CP0	14	15	14.37	14.63	–	3,427	5,469	–	9,920	–	2.73
KD160CP0	16	17	16.37	16.63	–	3,688	5,736	–	11,290	–	3.1
KD180CP0	18	19	18.37	18.63	–	3,933	5,982	–	12,650	–	3.48
KD200CP0	20	21	20.37	20.63	–	4,164	6,212	–	14,020	–	3.85
KD210CP0	21	22	21.37	21.63	–	4,274	6,321	–	14,706	–	4.04
KD250CP0	25	26	25.37	25.63	–	4,689	6,729	–	17,440	–	4.79
KD300CP0	30	31	30.37	30.63	–	5,153	7,186	–	20,860	–	5.73
KD040XP0	4	5	4.37	4.63	2,311	3,520	3,901	3,080	7,700	6,930	0.78
KD042XP0	4.25	5.25	4.62	4.88	2,355	3,600	4,196	3,190	7,980	7,580	0.83
KD045XP0	4.5	5.5	4.87	5.13	2,454	3,770	4,602	3,420	8,550	8,550	0.88
KD047XP0	4.75	5.75	5.12	5.38	2,496	3,860	4,916	3,530	8,840	9,280	0.94
KD050XP0	5	6	5.37	5.63	2,592	4,020	5,348	3,760	9,410	10,350	1
KD055XP0	5.5	6.5	5.87	6.13	2,725	4,260	6,134	4,100	10,260	12,310	1.06
KD060XP0	6	7	6.37	6.63	2,855	4,490	6,961	4,450	11,120	14,450	1.16
KD065XP0	6.5	7.5	6.87	7.13	2,980	4,720	7,826	4,790	11,970	16,760	1.22
KD070XP0	7	8	7.37	7.63	3,103	4,940	8,730	5,130	12,830	19,240	1.31
KD075XP0	7.5	8.5	7.87	8.13	3,222	5,160	9,669	5,470	13,680	21,890	1.41
KD080XP0	8	9	8.37	8.63	3,338	5,370	10,643	5,810	14,540	24,710	1.53
KD090XP0	9	10	9.37	9.63	3,561	5,790	12,693	6,500	16,250	30,870	1.72
KD100XP0	10	11	10.37	10.63	3,776	6,190	14,872	7,180	17,960	37,710	1.88
KD110XP0	11	12	11.37	11.63	3,981	6,570	17,173	7,870	19,670	45,230	2.06
KD120XP0	12	13	12.37	12.63	4,178	6,950	19,590	8,550	21,380	53,440	2.25

KD140XP0	14	15	14.37	14.63	4,551	7,670	24,755	9,920	24,800	71,910	2.73
KD160XP0	16	17	16.37	16.63	4,899	8,360	30,325	11,290	28,220	93,110	3.1
KD180XP0	18	19	18.37	18.63	5,226	9,030	36,268	12,650	31,640	117,000	3.48
KD200XP0	20	21	20.37	20.63	5,534	9,670	42,561	14,020	35,060	143,700	3.85
KD210XP0	21	22	21.37	21.63	5,682	9,980	45,826	14,710	36,770	158,100	4.04
KD250XP0	25	26	25.37	25.63	6,235	11,180	59,649	17,440	43,610	222,400	4.79
KD300XP0	30	31	30.37	30.63	6,856	12,600	78,447	20,860	52,160	318,100	5.73
KG040AR0	4	6	4.742	5.258	5.491	6.281	10,167	13,630	9,480	27,360	3.61
KG042AR0	4.25	6.25	4.992	5.508	5.741	6.438	10,384	14,090	9,950	28,730	3.83
KG045AR0	4.5	6.5	5.242	5.758	5.989	6.562	10,592	14,530	10,430	30,100	3.95
KG047AR0	4.75	6.75	5.492	6.008	6.239	6.745	10,792	14,970	10,900	31,460	4.17
KG050AR0	5	7	5.742	6.258	6.489	6.897	10,985	15,400	11,370	32,830	4.42
KG055AR0	5.5	7.5	6.242	6.758	6.989	7,192	11,352	16,240	12,320	35,570	4.73
KG060AR0	6	8	6.742	7.258	7.489	7,480	11,697	17,060	13,270	38,300	5.07
KG065AR0	6.5	8.5	7.242	7.758	7.987	7,761	12,023	17,870	14,220	41,040	5.41
KG070AR0	7	9	7.742	8.258	8.487	8,035	12,333	18,650	15,160	43,780	5.87
KG075AR0	7.5	9.5	8.242	8.758	8.987	8,303	12,629	19,420	16,110	46,510	6.2
KG080AR0	8	10	8.742	9.258	9.485	8,566	12,912	20,180	17,060	49,250	6.54
KG090AR0	9	11	9.742	10.258	10.485	9,073	13,446	21,640	18,960	54,720	7.22
KG100AR0	10	12	10.742	11.258	11.483	9,561	13,942	23,060	20,850	60,190	8
KG110AR0	11	13	11.742	12.258	12.481	10,027	14,409	24,440	22,750	65,660	8.68
KG120AR0	12	14	12.742	13.258	13.481	10,481	14,849	25,780	24,640	71,140	9.47
KG140AR0	14	16	14.742	15.258	15.478	11,338	15,665	28,360	28,430	82,080	10.9
KG160AR0	16	18	16.742	17.258	17.474	12,142	16,411	30,830	32,220	93,020	12.4
KG180AR0	18	20	18.742	19.258	19.472	12,898	17,101	33,200	36,020	104,000	13.8
KG200AR0	20	22	20.742	21.258	21.468	13,612	17,745	35,490	39,810	114,900	15.2
KG220AR0	22	24	22.742	23.258	23.468	14,290	18,351	37,712	43,598	125,856	16.63
KG250AR0	25	27	25.742	26.258	26.461	15,239	19,198	40,920	49,280	142,300	18.8
KG300AR0	30	32	30.742	31.258	31.451	16,687	20,480	46,020	58,760	169,600	22.5
KG350AR0	35	37	35.742	36.258	36.44	17,982	21,636	50,840	68,240	197,000	26.2
KG400AR0	40	42	40.742	41.258	41.43	19,153	22,693	55,440	77,720	224,400	29.8
KG040CP0	4	6	4.742	5.258	-	6,115	9,579	-	8,210	-	3.6
KG042CP0	4.25	6.25	4.992	5.508	-	6,061	9,481	-	8,210	-	3.8
KG045CP0	4.5	6.5	5.242	5.758	-	6,227	9,797	-	8,760	-	4
KG047CP0	4.75	6.75	5.492	6.008	-	6,487	10,099	-	9,300	-	4.1
KG050CP0	5	7	5.742	6.258	-	6,691	10,388	-	9,850	-	4.3
KG055CP0	5.5	7.5	6.242	6.758	-	6,850	10,563	-	10,400	-	4.7
KG060CP0	6	8	6.742	7.258	-	7,241	11,085	-	11,490	-	5.1
KG065CP0	6.5	8.5	7.242	7.758	-	7,393	11,234	-	12,040	-	5.4
KG070CP0	7	9	7.742	8.258	-	7,764	11,705	-	13,130	-	5.8
KG075CP0	7.5	9.5	8.242	8.758	-	7,911	11,835	-	13,680	-	6.1
KG080CP0	8	10	8.742	9.258	-	8,265	12,266	-	14,770	-	6.5
KG090CP0	9	11	9.742	10.258	-	8,743	12,782	-	16,420	-	7.2
KG100CP0	10	12	10.742	11.258	-	9,204	13,261	-	18,060	-	7.9

KG110CP0	11	13	11.742	12.258	–	9,648	13,710	–	19,700	–	8.6
KG120CP0	12	14	12.742	13.258	–	10,074	14,133	–	21,340	–	9.3
KG140CP0	14	16	14.742	15.258	–	10,886	14,916	–	24,620	–	10.8
KG160CP0	16	18	16.742	17.258	–	11,648	15,631	–	27,910	–	12.3
KG180CP0	18	20	18.742	19.258	–	12,367	16,291	–	31,190	–	13.7
KG200CP0	20	22	20.742	21.258	–	13,044	16,907	–	34,470	–	15.8
KG220CP0	22	24	22.742	23.258	–	13,685	17,486	–	37,757	–	16.8
KG250CP0	25	27	25.742	26.258	–	14,591	18,295	–	42,680	–	19.5
KG300CP0	30	32	30.742	31.258	–	15,963	19,519	–	50,890	–	23.3
KG350CP0	35	37	35.742	36.258	–	17,195	20,622	–	59,100	–	27.1
KG400CP0	40	42	40.742	41.258	–	18,307	21,630	–	67,310	–	30.8
KG040XP0	4	6	4.742	5.258	7,979	11,260	14,966	8,210	20,520	20,520	3.6
KG042XP0	4.25	6.25	4.992	5.508	7,917	11,260	15,592	8,210	20,520	21,550	3.8
KG045XP0	4.5	6.5	5.242	5.758	8,205	11,750	16,930	8,760	21,890	24,080	4
KG047XP0	4.75	6.75	5.492	6.008	8,487	12,230	18,306	9,300	23,260	26,740	4.1
KG050XP0	5	7	5.742	6.258	8,762	12,710	19,721	9,850	24,620	29,550	4.3
KG055XP0	5.5	7.5	6.242	6.758	8,979	13,180	21,896	10,400	25,990	33,790	4.7
KG060XP0	6	8	6.742	7.258	9,503	14,090	24,956	11,490	28,730	40,220	5.1
KG065XP0	6.5	8.5	7.242	7.758	9,713	14,530	27,327	12,040	30,100	45,140	5.4
KG070XP0	7	9	7.742	8.258	10,208	15,400	30,636	13,130	32,830	52,530	5.8
KG075XP0	7.5	9.5	8.242	8.758	10,410	15,820	33,196	13,680	34,200	58,140	6.1
KG080XP0	8	10	8.742	9.258	10,882	16,650	36,743	14,770	36,940	66,480	6.5
KG090XP0	9	11	9.742	10.258	11,526	17,870	43,240	16,420	41,040	82,080	7.2
KG100XP0	10	12	10.742	11.258	12,147	19,040	50,124	18,060	45,140	99,320	7.9
KG110XP0	11	13	11.742	12.258	12,739	20,180	57,347	19,700	49,250	118,200	8.6
KG120XP0	12	14	12.742	13.258	13,315	21,280	64,935	21,340	53,350	138,700	9.3
KG140XP0	14	16	14.742	15.258	14,404	23,410	81,056	24,620	61,560	184,700	10.8
KG160XP0	16	18	16.742	17.258	15,425	25,450	98,373	27,910	69,770	237,200	12.3
KG180XP0	18	20	18.742	19.258	16,386	27,410	116,793	31,190	77,980	296,300	13.7
KG200XP0	20	22	20.742	21.258	17,293	29,300	136,238	34,470	86,180	362,000	15.8
KG220XP0	22	24	22.742	23.258	18,152	31,130	156,625	37,760	94,390	434,200	17.3
KG250XP0	25	27	25.742	26.258	19,360	33,780	188,838	42,680	106,700	554,900	19.5
KG300XP0	30	32	30.742	31.258	21,200	37,980	246,541	50,890	127,200	788,800	23.3
KG350XP0	35	37	35.742	36.258	22,845	41,970	308,527	59,100	147,700	1,064,000	27.1
KG400XP0	40	42	40.742	41.258	24,332	45,770	374,256	67,310	168,300	1,380,000	30.8